

2601/102

2602/102

2603/102

PHYSICAL SCIENCE, MECHANICAL
SCIENCE AND ELECTRICAL
ENGINEERING PRINCIPLES

June/ July 2016

Time: 3 hours



THE KENYA NATIONAL EXAMINATIONS COUNCIL
DIPLOMA IN ELECTRICAL AND ELECTRONICS ENGINEERING
(POWER OPTION)
(TELECOMMUNICATION OPTION)
(INSTRUMENTATION OPTION)

MODULE I

PHYSICAL SCIENCE, MECHANICAL SCIENCE AND
ELECTRICAL ENGINEERING PRINCIPLES

3 hours

INSTRUCTIONS TO CANDIDATES

You should have the following for this examination:

Mathematical tables/ non programmable scientific calculator;

Answer booklet.

Take $U^\circ = 2\pi \times 10^{-7} \text{ H/m}$ and $\epsilon^\circ = 8.85 \times 10^{-12} \text{ F/m}$.

This paper consists of EIGHT questions in THREE sections; A, B and C.

Answer ONE question from section A, ONE question from section B and THREE questions from section C in the answer booklet provided.

All questions carry equal marks.

Maximum marks for each part of a question are as shown.

Candidates should answer the questions in English.

This paper consists of 6 printed pages.

Candidates should check the question paper to ascertain that all the pages are printed as indicated and that no questions are missing.

SECTION A: PHYSICAL SCIENCE

Answer any ONE questions from this section.

1. (a) Define the following terms as used in wave propagation:
- (i) wavelength;
 - (ii) frequency. (4 marks)
- (b) A medium radio waveband lies between two wavelengths, 100 m and 1000 m. Determine the corresponding frequency range.
[Take the velocity of the wave to be 299.8×10^6 m/s]. (4 marks)
- (c) (i) Distinguish between transverse and longitudinal electromagnetic waves.
(ii) State **two** examples of each of the waves in c(i). (4 marks)
- (d) (i) Explain the term 'Simple Harmonic Motion'.
(ii) A light spiral spring extends by 10 cm when loaded with a mass of 50 g. Determine the period of the vertical oscillations.
[Take acceleration due to gravity as 10 ms^{-2}] (8 marks)
2. (a) Define the following terms as used in heating:
- (i) heat capacity;
 - (ii) specific heat capacity. (2 marks)
- (b) (i) List the **four** steps in the calorimeter method of measuring specific heat capacity of a solid.
- (ii) Derive the expression for specific heat capacity of the solid in b(i). (9 marks)
- (c) (i) State Faraday's laws of electrolysis.
(ii) **Table 1** shows the electrochemical equivalent for various materials. Using the table, determine the mass of hydrogen released by an electrolytic cell when a constant current of 3 A is passed through the cell for a time of 2 hours. (9 marks)

$Q = \frac{1}{2} k e x^2$
 $k e = F \frac{1}{2} k e x^2$

Table 1

Material	Electrochemical equivalent mg/C
Carbon	0.0623
Hydrogen	0.01044
Iron	0.193

SECTION B: MECHANICAL SCIENCE

Answer any **ONE** question from this section.

3. (a) (i) State Archimedes principle.
- (ii) With the aid of a U-tube manometer diagram, show that pressure due to a column of a liquid depends upon the density of the liquid and the height of the column. (8 marks)
- (b) (i) Distinguish between 'momentum' and 'impulse'.
- (ii) A railway truck A of mass 2×10^4 kg travelling at 0.5 m/s collides with another truck B of half its mass and moving in the opposite direction at a velocity of 0.4 m/s. The trucks couple automatically on collision. Determine the common relative velocity which they move. (6 marks)
- (c) With aid of a T-S diagram explain the processes in the carnot cycle. (6 marks)
4. (a) State **three** types of coupling devices used in power transmission. (3 marks)
- (b) (i) Explain how a centrifugal governor operates to control the speed of a steam engine.
- (ii) List **two** merits of governors in b(i). (6 marks)
- (c) Explain the following terms as used in dynamics:
- (i) moment;
- (ii) couple. (6 marks)
- (d) The velocity of a body increases uniformly from a velocity of u m/s to v m/s in time t seconds. The body accelerates uniformly at a m/s². Derive an expression for displacement s of the body in terms of acceleration. (5 marks)

SECTION C: ELECTRICAL ENGINEERING PRINCIPLES

Answer any *TWO* questions from this section.

5. (a) (i) Define the term 'Permittivity' as used in electrostatics.
- (ii) Draw a labelled constructional diagram of a Tantalum electrolytic capacitor. (6 marks)

(b) **Figure 1** shows an electric circuit.

- (i) Explain its operation.
- (ii) The switch in the circuit is operated 100 times every second. Determine the average:
- (I) current through the switching operations;
- (II) power dissipated in the resistor R.

(8 marks)




Fig. 1

- (c) (i) Define the term 'mean value' as used in a.c systems.
- (ii) Derive the values of form and peak factors of a sine-wave.

(6 marks)

6. (a) Table 2 shows an analogy between electric and magnetic quantities. Fill in the missing quantities. (10 marks)

Table 2

MAGNETIC			ELECTRIC		
Quantity	Symbol	Unit	Quantity	Symbol	Unit
mmF					
			Electric flux density		
	S				
		Weber (wb)			

- (b) State Faraday's laws of electromagnetic induction. (4 marks)
- (c) A current I Amperes flows in an iron ring of constant permeability μ , mean circumference l meters and cross-sectional area a m². The ring is uniformly wound with N turns of a coil. If the reluctance of the ring is S A/wb, derive an expression for the inductance L of the coil. (6 marks)

7. (a) State Kirchoff's voltage law. (2 marks)
- (b) Figure 2 shows an electric circuit. Using super position theorem, determine the branch currents. (11 marks)




Fig. 2

- (c) Derive the expression for the turns ratio of a transformer. (Assume the transformer has negligible losses). (7 marks)

8. (a) List **three** important features of full-scale deflection (fsd) current in a measuring instrument. (3 marks)
- (b) With aid of a circuit diagram illustrate the following methods of resistance measurements by Voltmeter - Ammeter method:
- (i) long shunt;
 - (ii) short shunt.
- (4 marks)
- (c) (i) State **four** requirements of the lead-Acid cell separator.
- (ii) Draw a labelled diagram of a dry cell (zinc - carbon).
- (13 marks)

THIS IS THE LAST PRINTED PAGE.