

EAST AFRICAN SCHOOL OF AVIATION FINAL EXAMINATION

SUBJECT: BASIC AIRSIDE SAFETY

Duration: 2 HRS

DATE:	TIME:

INSTRUCTIONS TO ALL CANDIDATES

1. Answer all questions

One of the following is not among the hidden costs to the airlines that are as a result of accidents and incidents on the ramp.

A) Economic loss to the injured personnel

	B) damage to tools
	C) damage to passenger accommodation
	D) Cost of recruiting and training new personnel
1)	The Aviation Industry, and in many cases, the REGULATE safety and a
	fully functional SMS.
	A) ICAO
	B) State
	C) IATA
	D) Both A AND C
2)	Accidents which occur on the ramp are grouped under ALL but one of the
	following.
	A) Accidents to passengers
	B) Accidents to personnel
	C) Damage to aircraft
	D) Damage to cabin crew
3)	One of the following is among the causes of Ramp accidents.
	A) Character
	B) speed
	C) The other person
	D) Delight
4)	is an organized approach to managing safety
	A) SMS
	B) SeMS
	C) Aviation security
	D) BOTH a and B
5)	A refers to an object or situation that may cause harm or damage
	A) Risk
	B) Hazard
	C) Danger
	D) Both B and C
6)	applies to both the to both the harm or damage happening as wel
	as what the eventual consequences

- A Risk
- **B.**Hazard
- C.Danger
- D.Both B and C
- 7) One of the following is not true about the Manual Handling Techniques:
 - Assess the weight to be lifted by gently pushing it
 - B. If one is pregnant or sick, he/she should speak to the immediate supervisor
 - C. Before you lift, ensure that you do full exercise
 - D. Never twist your back
- 8) One of the following is not a procedure of lifting
 - A) Plan every lift
 - B) Always work at your safe speed
 - C) Four people must work together if one member is a female
 - D) Bend and lift at the knee
- 9) One of the following is/are considered to be personal protective equipment:
 - A) High visibility vest
 - B) sturdy footwear
 - C) Ear defenders
 - D) All of the above
- 10)One of the following is not in the checklist for the staff working at the ramp.
 - A. Check the vehicle starts and runs smoothly
 - B. Remove FOD
 - C. Check fire pressure and wear
 - D. None of the above
- 11) This item is used at the airport to stop wheels of an aircraft from moving. What is it?
 - A) GPU
 - B) Conveyor belt
 - C) Corns
 - D) Chocks
- **12)**Which one of the following is not among precautions to be taken when working near an aircraft?
 - A. Never approach an aircraft till the engines have been shut
 - B. Always have the cabin crew open the passenger doors
 - C. Beware of the open aircraft doors. Ensure the safety strap is put across the door opening.
 - D. Approach a helicopter with its rotors turning on foot and in an upright position
- 13) No GSE may not be moved towards the aircraft until:

- A) Aircraft has come to a complete stop
- B) Aircraft engines have been switched off and are not spooling
- C) Anti-collision lights are switched off
- D) The wheels are choked
- **14)**One of the following is not among the safety procedures to be followed when passengers are on board during the refueling process of an aircraft.
 - A) Crew must be informed when refueling is to be done
 - B) All passengers to exits to be kept clear
 - C) the bottom area of passenger steps to be kept clear
 - D) No steps/airbridge on both the forward and the rear passenger doors
- **15)**T 86% of all accidents are caused by human errors
 - A) True
 - B) False
- 16)Pilferage is theft of only some contents of a checked bag or baggage
 - A) True
 - B) False
- 17) What can be used during pre-operational checks to ensure that the operator assesses all areas of the GSE?
 - A) Disciplinary action
 - B) A buddy system
 - C) A checklist
 - D) PPE
- **18)**In which of the following cases should ramp personnel ensure each dolly or baggage trail is disconnected and held by its own individual break?
 - A) High winds
 - B) Low visibility
 - C) Ground Icing
 - D) Lightning
- 19) During High winds:
 - A) Secure aircraft with additional chokes
 - B) Secure any load inside the aircraft
 - C) Move aircraft nearer to building
 - **D)** Remove all empty and loose ULD from around the aircraft
- **20)**_____ is an organization of airline managers at the airport which meets at least once a month to identify, and solve local interline baggage handling problems
 - A) Local Baggage committee

B)	Baggage handling society	
C)	AOC	
D)	Airport operations Committee	
21)	are funds provided to the passenger to cover his out-of pocket	
exp	penses until his luggage arrives	
A)	Pocket money	
B)	Interim fund	
C)	Interim expenses	
D)	Out-of-the-pocket money	
22) FOD stands for		
A)	Foreign Object Damage	
B)	Front Office Debris	
C)	Forbidden damaged debris	
D)	Fallen Objects damage	
23)One of the following is not among the pre-operational GSE Checklist.		
A)	Check lights, Indicators and anticoalition beacon	
B)	Check window wipers	
C)	Check for any damage	
D)	Check the boom goes sideways	
24) Frontline operational personnel are often in the best position to and		
	hazards and conditions that have the potential to lead to accidents	
A) (Observe, identify	
B) N	Note, understand	
C) N	Notice, handle	
D) L	Inderstand and handle	
25) Human failures can result in a number of unwanted consequences. They include		
Per	sonal injury, aircraft damage or	
A)	Death	
B)	Aircraft accidents	
C)	Flight Delays	
D)	Cabin crew injury	
26) The	ultimate purpose of an airside safety investigation is to obtain all relevant	
info	ormation pertaining to the incident/accident so as to	
A)	Establish the root cause	
B)	Bring the culprits to book	
C)	Provide a detailed report	
D)	Correct the errors	
27) An	accident is	

A)	An event that happens by chance, with a deliberate intention
B)	An event that happens by chance, without a deliberate intention
C)	An event that happens in life, with a deliberate intention
D)	A criminal event that happens by chance, without a deliberate intention
28) The	e station manager has a particular responsibility to and a
CU	Iture of safety awareness among his staff.
A)	Discourage, empower
B)	Encourage , build
C)	Build, empower
D)	Develop, encourage
29) On	ne of the following is not among the threats to airside safety
A)	Check in agents at their stations
B)	Conditions of the pavement including runways
C)	Broken or damaged ground facilities
D)	Presence of debris in parking lots
30) Or	ne of the following is not among the safety checklist for staff working on the
rar	np
A)	Check the vehicle starts and runs properly
B)	Check window wipers
C)	Check the boom goes up and down
D)	Avoid using a wheel choke when positioning the GSE to the aircraft
	Incase brakes should fail
	case of high winds which one of the following measures should not be
	dertaken to safeguard the aircraft?
A)	Turn the aircraft away from the direction of wind
B)	Close all the aircraft doors and service
C)	Move the aircraft away from buildings
D)	Secure aircraft with additional chocks
=	ring safety reporting all stake holders' pledge and to
	ter commitment.
A)	Discipline, Confidentiality
B)	Confidentiality, No discipline
•	Security, Safety
D)	All of the above
	ining and communication safety issues fall under which element in ICAO's Four
Crı	ucial Elements of an SMS?

A)	Safety Policies and Objectives
B)	Risk Management
C)	Safety Assurance
D)	Safety Promotion
34) A _	applies to both the chance of harm or damage happening, as we
as v	what the eventual consequence would be
A)	Risk Management
B)	Hazard
C)	Risk Assessment
D)	Risk
35) IOS	SA Stands for:
A)	IATA Operational Safety Audit
B)	IATA Organizational Safety Audit
C)	ICAO Operational Safety Audit
D)	ICAO Operational Safety Audit
36) ISA	GO Stands for:
A)	IATA's Safety Audit for Ground Operations
B)	IATA's Safety Audit for Ground Organizations
C)	ICAO's Safety Audit for Ground Operations
D)	IATA's Security Audit for Ground Operations
37) An	pool involves the sharing of auditing reports across airlines as a
me	eans to cut costs and improve safety
A)	Audit
B)	Security
C)	·
D)	Both B and C
38) The	e main aim of IATA's safety report is to:
A)	Provide airports with incident and accident prevention strategies
В)	Provide IATA with Security and accident prevention strategies
C)	Provide airlines with safety management strategies
D)	Provide airlines with incident and accident prevention strategies
39) The	ere are numerous hazards that may pose a risk to employees working at the
airs	side
Wh	ich one is not?
A)	Aircraft movements
B)	Propeller engines and Helicopters
C)	Jet Engines
D)	Day Operations

- 40) Individuals can make poor decisions in times of less stress
 - A) True
 - B) False
- 41) Which one of the following is not among the common types of ramp accidents?
 - A) Accidents to passengers
 - B) Accidents to personnel
 - C) Damage to aircraft
 - D) Damage to terminal building
- **42)**All ramp personnel should remember all but one of the following pieces of advice. Name it
 - A) Don't be a victim of someone else's carelessness
 - B) Stay alert and stay safe
 - C) Always follow the procedure (even if you agree with it or not
 - D) Safety is a good as its weakest link
- **43)** "Haste" is one of the causes of accidents on the ramp. It means_____
 - A) Hasty movements impair Concentration and Control
 - B) Hasty movements impair Results and Control
 - C) Hasty movements impair Accuracy and Control
 - D) Hasty movements impair Concentration and Focus
- **44)**One of the following is not under the airport's responsibility.
 - A) Field and building maintenance
 - B) Surface conditions
 - C) Provision of signage
 - D) Air Traffic Control
- **45)**All employees working on the ramp must be made aware of all but one of the following
 - A) Consequences of not following rules
 - B) Recognizing hazards
 - C) Identifying main causes of accidents
 - D) Dangerous goods classes
- **46)**One of the following is not among the personal protective equipment.
 - A) High visibility vest
 - B) Sturdy footwear
 - C) Ear protectors
 - D) Illuminated wands
- **47)**Working uniforms can cause accidents and incidents on the ramp in all but one of the following ways.
 - A) Rugged and torn overalls

- B) If high visibility vests are not worn in low light
- C) if they are designed with the employee's safety and comfort
- D) If they are not designed with the employee's safety and comfort
- **48)**One of the following is not among the correct lifting techniques guidelines
 - A) If you are pregnant or with a condition of health, do not lift
 - B) Before you lift, ensure the floor is free of any rubbish
 - C) Do not twist your back
 - D) Due to time constrains lift any item quickly to save time
- **49)**All but one of the following are among the requirements on what to do during Lightning:
 - A) loading or offloading explosives
 - B) Refrain from using your handset
 - C) Avoid using mobile forms, radios
 - D) Retreat from open areas or spaces under the aircraft

End of paper,